


GROUND FLOOR - FLOOR FINISH


1 : 100




TILE LEGEND:



**5.2 Porcelain Tiles:**  
600x600x8mm Full body matt porcelain floor tiles with 2mm joints on full tile cement bedding, in accordance with PW371-A and SANS 13006 group B1a water absorption equal or greater than 0.5%. Grout joints as per BS EN 13006 (PW371) 12.1 (p).



**5.3 Porcelain Tiles:**  
600x600x8mm Non-slip Full body exterior porcelain floor tiles with 2mm joints on full tile cement bedding, in accordance with PW371-A and SANS 13006 group B1a water absorption equal or greater than 0.5%. Grout joints as per BS EN 13006 (PW371) 12.1 (p). 6mm wide movement joints to be observed with patent stainless steel expansion joint strips consisting of synthetic fibre inserts installed to manufacturer's instruction and as marked in the construction drawings.



**5.4 Porcelain Tiles:**  
600x200x8mm Full body matt porcelain floor tiles with 2mm joints on full tile cement bedding, in accordance with PW371-A and SANS 13006 group B1a water absorption equal or greater than 0.5%. Grout joints as per BS EN 13006 (PW371) 12.1 (p).

No.	Date	Revisions
cad file name REVIT 2020		
<div><div><div>KIMIS</div><div>ARCHITECTS</div><div>100 MARSHALL STREET, KRUGER OFFICE PARK, UNIT 7 Tel: (015) 550 0995 Email: admin@kimsarch.co.za Website: www.kimsarch.co.za</div></div><div>POLOKWANE</div></div>		
Client <div><div><div></div><div>University of Venda</div><div>Creating future leaders</div></div></div>		
service PROPOSED NEW ADDITION TO EXISTING SIMULATION LABORATORY BUILDING AT THE UNIVERSITY OF VENDA		
site UNIVERSITY OF VENDA, 123 OF FARM CHIBASE 213 - MT. THOHYANDOU C		
drawing title FLOOR FINISH		
ref. no 20/KMS/108	designed Designer	
scale As indicated	drawn Author	
date 20210826 10:17:44 AM	checked Checker	
drawing number 650 - REV 00		