



## SUPPLY CHAIN MANAGEMENT

Request for  
Quotation(s)  
(RFQ) RFQ  
NO:09/2024

Dear Sir or Madam

You are hereby invited to submit a proposal/quotation to supply, install, and commission AV specifications for health sciences.: University of Venda

Number	Description	Quantity
1	supply, install, and commission AV	See specification attach

**Price quotation Closing Date for quotations: 08/04/2024 at 16:00**  
The Quotation should include all the necessary cabling, Installation, and training.  
The quotation should be submitted to [Don.Mathebula@univen.ac.za](mailto:Don.Mathebula@univen.ac.za)

Service providers are allowed to visit the building to ensure that the specifications do not leave anything out. **Email: [anza.negota@univen.ac.za](mailto:anza.negota@univen.ac.za)**

Please submit your proposal/quotation on your company's official letterhead and clearly indicate your quotation's Lead Time and Validity Period.

The following documents must be attached. **Tax pin, CK Certificate, and complete SBD 4.**

**Terms and conditions:** In the event of unsatisfactory performance (Late delivery) or incomplete provision of goods and services, the University shall penalize the service provider by withholding up to **25%** of the contract value.  
Yours faithfully

Mr. D Mathebula

## BIDDER'S DISCLOSURE

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offer in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

### 2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

Full Name	Identity Number	Name of State institution

2.2

Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....  
 .....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....  
 .....

**3 DECLARATION**

I, \_\_\_\_\_ the \_\_\_\_\_ undersigned, (name) ..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.

---

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a

- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.  
 I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....

Signature

Date

\_\_\_\_\_ contract.

.....  
Position

.....  
Name of bidder

**SUPPLY, INSTALLATION AND COMMISSION OF AV SPECIFICATION FOR HEALTH SCIENCES.**

<b>QUANTITY</b>	<b>DESCRIPTION</b>
<b>VENUE</b>	<b>Ground Floor – CANTEEN</b>
3	Bose DesignMax 2-way surface environmental loudspeaker in white. 60W at 8 Ohm, 70V/100V with 50-25-12-6W taps. 73Hz-17KHz (± 3dB), 89dB @ 1W/1m, 135° x 135°dispersion and IP55 rated.
1	DesignMax surface Subwoofer in white. 300W at 8 Ohm, 70V/100V with 150-80-40W taps. 41Hz-108Hz (± 3dB) and 90dB @ 1W/1m.
1	PowerSpace power amplifier with built-in DSP. 4x 300W (4-8 Ohm/70V/100V) or 2x 600W (2-4 Ohm/70V/100V). 4 balanced, 2 unbalanced and AmpLink inputs with Aux output.
1	ControlCenter volume control and A/B source selection for FreeSpace, PowerSpace +, PowerShare amplifiers and ControlSpace products, white
2	65" LCD Professional Display Smart TV - UHD, 16/7 Usage wall-mounted
1	HDMI Distribution amplifier
1	HDMI Wallplate
2	Audio converters
<b>VENUE</b>	<b>Ground Floor – GYM</b>
7	DesignMax 2-way surface environmental loudspeaker in white. 60W at 8 Ohm, 70V/100V with 50-25-12-6W taps. 73Hz-17KHz (± 3dB), 89dB @ 1W/1m, 135° x 135°dispersion and IP55 rated. Priced & and supplied in pairs.
3	DesignMax surface Subwoofer in white. 300W at 8 Ohm, 70V/100V with 150-80-40W taps. 41Hz-108Hz (± 3dB) and 90dB @ 1W/1m. Priced & and supplied per each
3	PowerSpace power amplifier with built-in DSP. 4x 300W (4-8 Ohm/70V/100V) or 2x 600W (2-4 Ohm/70V/100V). 4 balanced, 2 unbalanced and AmpLink inputs with Aux output.
3	ControlCenter volume control and A/B source selection for FreeSpace, PowerSpace +, PowerShare amplifiers and ControlSpace products, white
2	65" LCD Professional Display Smart TV - UHD, 16/7 Usage wall-mounted
<b>VENUE</b>	<b>First Floor- NUTRITION CLASS</b>
1	All-in-one Intelligent Endpoint 86inch Idea Hub s2 Touch Screen - 86" Display Wall Mounted with share dongle
1	Desk cable ports/dongles
4	65" LCD Professional Display - UHD, 16/7 Usage wall-mounted
1	12X 4K PTZ camera with 6.55° (Tele) - 69.4° (Wide) field of view, INPUT: 3.5mm Audio,OUTPUT: 1x USB3.0, 1x HDMI, 1x SDI , CONTROL: Lan, RS-232 in and out, RS422/RS485,Multifunction IR remote control, POE
2	Wall Mounted 2x1 switcher and HDBaseT transmitter with HDMI and USB-C inputs.
2	HDBaseT receiver that supports video resolutions up to 4K2K@50/60Hz 4:4:4 from the transmitter over CAT 6/7.
1	4x1 HDMI full 4K automatic switcher
1	Processing Controller

4	DesignMax 2-way surface environmental loudspeaker in white. 60W at 8 Ohm, 70V/100V with 50-25-12-6W taps. 73Hz-17KHz (± 3dB), 89dB @ 1W/1m, 135° x 135°dispersion and IP55 rated. Priced & supplied in pairs
1	DesignMax surface Subwoofer in white. 300W at 8 Ohm, 70V/100V with 150-80-40W taps. 41Hz-108Hz (± 3dB) and 90dB @ 1W/1m. Priced & supplied per each
1	PowerSpace power amplifier with built-in DSP. 4x 300W (4-8 Ohm/70V/100V) or 2x 600W (2-4 Ohm/70V/100V). 4 balanced, 2 unbalanced and AmpLink inputs with Aux output.
1	ControlCenter volume control and A/B source selection for FreeSpace, PowerSpace +, PowerShare amplifiers and ControlSpace products, white
1	Biamp Biamp 8-Button POE powered AV control system with onboard controller. Freely configurable mechanical keypad buttons with multi colour LEDs and a 2.7" E-Ink programmable display.
1	10 Port PoE+ Switch with 8-port PoE+ Gigabit Ports x 2 Gig Uplink ports.
1	FULL 4k 4:4:4 HDR 60Hz 1x4 HDMI 2.2 Distribution Amplifier, with HDCP 2.2 . EDID management 2K X 4K 60Hz Resolution. INPUTS: 1 x HDMI. OUTPUTS: 4 x HDMI
1	4K Scaler Switcher with 6 video input
<b>VENUE</b>	<b>4 X 2<sup>ND</sup> Floor Seminar Rooms</b>
1	4K Scaler Switcher with 6 video input
1	FULL 4k 4:4:4 HDR 60Hz 1x4 HDMI 2.2 Distribution Amplifier,
1	HDMI2.0 Extender package consisting of a transmitter (TPUK70-RS T) & receiver (TPUK70-RS R) .
1	All-in-one Intelligent Endpoint 86inch Idea Hub s2 Touch Screen - 86" Display Wall Mounted with share dongle
2	Flex Array full range powered loudspeaker. Adjustable C, J or reverse J coverage patterns.
2	Pan&Tilt Bracket Blk, also for F1T &F1 passive & Panaray 402
1	Mounting Kit Yoke Bracket
1	Cloud 2 x 250W transformer-less 100V line power amplifier
1	HDBaseT Splitter. RS232 and IR for Display Control. S
1	Desk cable ports/dongles
<b>VENUE</b>	<b>3 X 2<sup>ND</sup> Floor- Health Studios</b>
<b>1</b>	All-in-one Intelligent Endpoint 75inch Idea Hub s2 Touch Screen - 75" Display Wall Mounted with share dongle
<b>1</b>	Desk cable ports/dongles
<b>1</b>	DesignMax 2-way surface environmental loudspeaker in white. 60W at 8 Ohm, 70V/100V with 50-25-12-6W taps. 73Hz-17KHz (± 3dB), 89dB @ 1W/1m, 135° x 135°dispersion and IP55 rated. Priced & and supplied in pairs.
1	DesignMax surface Subwoofer in white. 300W at 8 Ohm, 70V/100V with 150-80-40W taps. 41Hz-108Hz (± 3dB) and 90dB @ 1W/1m. Priced & supplied per each
1	PowerSpace power amplifier with built-in DSP. 4x 300W (4-8 Ohm/70V/100V) or 2x 600W (2-4 Ohm/70V/100V). 4 balanced, 2 unbalanced and AmpLink inputs with Aux output.
1	ControlCenter volume control and A/B source selection for FreeSpace, PowerSpace +, PowerShare amplifiers and ControlSpace products, white
1	Mics - transmitter/receiver

<b>VENUE</b>	<b>3<sup>RD</sup> Floor- Boardrooms/ Waiting</b>
	<b>Interactive Displays for Boardrooms - All with built-in PC &amp; camera</b>
1	All-in-one Intelligent Endpoint 86inch Idea Hub s2 Touch Screen - 86" Display Wall Mounted with share dongle
1	Mic 500
1	All-in-one Intelligent Endpoint 75inch Idea Hub s2 Touch Screen - 75" Display Wall Mounted with share dongle
2	All-in-one Intelligent Endpoint 65inch Idea Hub s2 Touch Screen - 65" Display Wall Mounted with share dongle
1	65" LCD Professional Display – SMART TV Usage (Waiting Room)
4	Desk cable ports/dongles

**The Quotation should include all the necessary cabling, installation, and training.**

- 1. Service providers are allowed to do site visits to the building to ensure that the specifications do not leave anything out.**